■ お手入れ方法 間違ったお手入れ方法や保管方法は本製品の寿命を縮めます。 使用後や保管時は以下の点を参考にしてください。

- ○使用後は、泥汚れなどをあらかじめ水洗いし、陰干しして乾燥後に収納してください。汚れたまま、あるい は濡れたまま長時間放置するとカビの発生する可能性があり、また生地も劣化しやすくなります。
- ○長期の使用により、フロアなどの撥水性能 (水を弾く力) が低下した場合は別売のS.R.スプレー等の撥 水スプレーをご使用ください。
- ○ドライクリーニングや洗濯機による洗濯はできません。生地を傷める恐れがあります。
- ○ジッパーの動きが固くなりましたら、別売りのスムースライダー™やローソクのロウを塗ると回復します。

■ 保管方法

- ○本製品を長期間使用せずに保管する場合は、なるべくゆるくたたみ、直射日光の当たらない風诵しの良い 場所に保管してください。付属の収納袋は、携行性を重視しているため、きつめにたたまないと入らないの で使用を避けてください。
- ○火のそばや暖房器具のそばなどの高温になる所に置かないでください。変形や損傷の原因になります。

■ 廃棄方法

○廃棄方法はお住まいの自治体の収集方法に従ってください。

■ アフターサービス

お買い求めいただきました本製品は万全を期して製造しておりますが、万一不備な点がございましたら、お買 い求めいただいた販売店、もしくは下記の弊社窓口までご連絡ください。

製造上の欠陥による不具合の場合は無償で交換させていただきます。なお、修理、交換等の要否につきまし ては、弊社の裁量にて判断させていただきます。

なお、以下のような原因での破損、不良につきましては保証いたしませんのでご了承ください。

- ○本製品の誤った使用方法によるもの ○間違ったお手入れ、保管方法、経年変化による素材劣化
- ○刮.暴な取り扱いによるもの
- ○その他、製造上の欠陥以外の原因によるもの

破損時は弊社にて診断をして、修理が可能な場合はご要望により有償にて修理させていただきます。

■ 対応製品

● ビッグタープ HX


※2016年以前製造のビッグタープHXには取り付けできません。 ※アルミタープポール240 (メイン) と120 (サブ) のみ併用可能です。

■ 仕様

○寸法

※図中の単位はcmです。

○ ビッグタープ HX オプショナルルーム #1122570



○素材

○本体上部: ナイロンメッシュ、68 デニール・ポリエステル・タフタ [通気撥水加工]、

> 75 デニール・ポリエステル・タフタ 「耐水圧 1.500 mmウレタン・コーティング]

○フロアシート: 70 デニール・ナイロン・タフタ 「耐水圧2.000 mmウレタン・コーティング]

■ その他

本製品の仕様、デザインは予告なく変更されることがあります。また、重量などのスペックには誤差が生じる場合があります。

株式会社 モニンペル 本 社 〒550-0013 大阪市西区新町 2-2-2 Tel. 06-6531-3544 フリーコール: ⑥ 0088-22-0031 商品についてのお問い合わせはカスタマー・サービスまで モンベルホームページ http://www.montbell.ip

4 44-2137-1701

mont-bell

取扱説明書

ビッグタープHX オプショナルルーム

Big Tarp HX Optional Room

この度はお買いあげいただき、誠にありがとうございます。この取扱説明書(以下「本説明書|といいます)は 本製品の正しい取扱方法を説明しています。ご使用の前に本説明書をよくお読みいただき、正しい使用方法 をご確認ください。


なお、ご不明な点等ございましたら、販売店もしくは(株) モンベル カスタマー・サービスまでお問い合わせく ださい。本説明書は大切に保管してください。

■ 特長


本製品は、ビッグタープHXに取り付けることでテントとしてご使用いただけるオプショナルルームです。ター プの居住スペースの半分をテントとして、残り半分をリビングとして使用できます。

※本製品は下記の製品の別売オプションです。単体ではご利用いただけません。


■ 各部の名称



・本製品+ビッグタープHX(別売) +メインポール(別売)+サブポール(別売)使用時







■ 安全上の注意 ぶずお読みください

※ビッグタープHX本体の取扱説明書に記載の注意事項を必ずお読みください。

↑ **危険** 人が死亡または重傷を負う危険が差し迫って生じることが想定される内容です。


○本製品内や本製品の近くでは、絶対に火気を使用しないでください。火災や一酸化炭素中毒の恐れがあります。


参生 場合により人が死亡または重傷を負う可能性が想定される内容です。 軽傷または物的損害が発生する頻度が高いことが想定される内容です。

- ○本製品の改造や分解などは絶対にしないでください。性能が損なわれ、充分に発揮できない恐れがあります。
- ○使用前は毎回必ず点検をしてください。老朽化が認められる場合や損傷が認められたり、疑わしい場合は 直ちに本製品の使用を中止してください。本来の性能が発揮できない恐れがあります。
- ○正しいお手入れ方法、保管方法を守ってください。誤ったお手入れや保管方法を行うと、本来の性能を発揮できない恐れがあります。

注意 人が傷害を負ったり物的損害の発生が想定される内容です。

- ○本製品は太陽光線の紫外線により生地が劣化します。また、硫黄ガスが発生する温泉地等でも寿命を縮めますのでご注意ください。
- ○入口は、必ずリビングスペース側になるようにしてください。背面側に取り付けると、雨天時に雨水が入口から侵入する恐れがあります(図 A)。
- ○アルミタープポール 240 (メイン) と120 (サブ) のみ併用 可能です。それ以外の長さのポールは使用しないでくだ さい。十分なスペースを確保できず雨水が侵入する恐れ があります。
- ○強風時はアルミタープポール120をサブポールに使用せず、タープを低くして吹き込みを極力防ぐようにしてください。
- ○強風時は雨の吹き込みを極力避けるため、本製品をタープの中心へ移動させることをおすすめします(図B)。






■ 使用前の点検

□生地に破れがないか


■ 使用方法

○ 組み立て方法(ビッグタープHXへの取り付け方) 新しい製品に慣れるため、実際にフィールドへ出かける前に、必ず試し張りを行ってください。


1.オプショナルルームの取り付け




ビッグタープ HX(別売) 両端裏側のリングに、本製品に付属の張り網(長) と張り網(短) をそれぞれ通します。 この時、張り網(長) をリビング側に、張り網(短) を背面側にします。




ビッグタープHX(別売)本体を設営します。




本製品を広げます。本製品天頂部のリング (黄色テープ) に、ビッグタープ HX に取り付けた張り網(長)のトグルをかけます。反対側のリング (緑テープ) に張り網(短)のトグルをかけます。



張り綱の長さをランナーで調整して、本製品の入口がビッグタープHXの中心に位置するように設定します。 この時、本製品とビッグタープHXの間に最低5cmほどのすき間を設けてください。密着すると、結露する恐れがあります。



ビッグタープ HX の上図の位置 (②と④) のリングに、本製品のトグルを掛けます。その際、①と③リングは使用しません。(本製品を反対側に取り付ける際は①と③のリングを使用してください。)



本製品の底面の5カ所にペグを打ち、固定した後に各コー ドロックでテンションを調節します。

■ Care

Improper care and storage will shorten the lifespan of this product. Please review the following instructions for care and storage.

- Wash away stains and soiling with water. Avoid direct sunlight and allow to air dry in a cool, well ventilated area. If stored wet or soiled, mold can grow and the fabric can start to prematurely deteriorate.
- Over time the tent's water repellant treatment will deteriorate. To restore the tent's water repellant abilities, reapply a water repellant spray (sold separately).
- ODo NOT dry clean or wash in washing machine. This can damage the tarp's fabric.
- Ouse a damp cloth to clean the pole and pegs. Afterwards apply a silicone lubricant.

■ Storage

- OWhen storing for an extended period of time, store loosely in a well ventilated, cool, dry place out of direct sunlight. Tents and tarps are NOT designed to be stored long term in their carrying case and should only be used for transport.
- ○To prevent deforming and damage, do NOT store near heat sources.

■ Warranty

Montbell's warranty covers all defects in materials and workmanship to the original owner for the lifetime of the product. If a product ever fails due to a manufacturing defect, Montbell will repair the product, or replace it, at our discretion. This warranty does not cover damage(s) caused by accident, improper care, negligence, misuse, alterations or normal wear and tear. Damage(s) not covered under warranty will be repaired at a reasonable rate.

■ Compatibility

Big Tarp HX


*CANNOT be used with Big Tarp HX models made before 2016. *Can only be used with Aluminum Tarp Pole 240 (main pole) and

120 (sub poles).

■ Specifications

Dimensions

○ Big Tarp HX Optional Room #1122570



○Materials -

Canopy: Nylon mesh, 68-denier polyester taffeta (breathable, water repellant treatment), 75-denier polyester taffeta (urethane coating, water pressure resistant to 1,500mm)

 Floor: 70-denier nylon taffeta (urethane coating, water pressure resistant to 2,000mm)

All product specifications and design are subject to change without prior notice. Actual product specifications may vary.

mont-bell Co.,Ltd.

2-2-2 Shinmachi, Nishi-ku, Osaka 550-0013 JAPAN www.montbell.com

mont-bell

User's Manual

Big Tarp HX Optional Room

Big Tarp HX Optional Room

Thank you for purchasing this product. Before using, please carefully read this manual for instructions on the proper care and usage of this product.


If you have any questions regarding this product, please contact Montbell Customer Service or the store of original purchase. Keep this manual for future reference.


■ Description

This product can be used as a tent in combination with the Big Tarp HX, allowing you to use half of the space under the tarp as a tent and the other half as a living area.

*This product is an optional product for the Big Tarp HX. It CANNOT be used by itself.

■ Components





■ Safety Warnings! Please read carefully.

⚠ Danger!

Under certain conditions. use of this product can result in major injury or death.


ONEVER place a flame source in or near your tent. Injury or death by fire and/or carbon monoxide poisoning is possible.


Under certain conditions, use of this product can result in injury, Warnings! death, or property damage.

- ODO NOT modify or alter this product. Improper modifications and alterations can damage the product and impair functionality.
- OPrior to use, check the product's condition and stop using immediately if you notice any deterioration from age/use, damage or irregularities.
- Please follow recommended care and storage instructions, Improper care and storage can lead to decrease in performance.

Under certain conditions, use of this product can result in injury **CAUTION!** or property damage.

- OUltraviolet rays from the sun can damage the product's fabric. Sulfur gas from natural hot springs can also shorten the product's lifespan.
- OSet up the product with entrance facing the center of tarp (living space). If the entrance faces out, water entry can occur during rain. (see Fig. A)
- OThis product can only be used with Aluminum Tarp Pole 240 (main pole) and 120 (sub pole). Do NOT use any other poles. There may not be enough or too little room and water entry may occur along the
- ODuring strong winds, do NOT use with Aluminum Tarp Pole 120 (sub pole). Lower the sides of the tarp as low as possible to increase wind resistance.
- ODuring strong winds, move the Optional Room towards the center of the tarp to reduce exposure to rain blown in from the sides of tarp. (see Fig. B)





■ Prior to use, inspect this product for:


■Tears or damage to product.

■ Directions

Set up with Big Tarp HX -

Before using this product for the first time, practice setting up the product at home to familiarize vourself with the product and its features.


1.Setting up the Optional Room




Locate the rings on the inside of the Big Tarp HX (sold separately). Pass the guyline (long) through the ring that will become the living space. Pass the guyline (short) through the ring that will become the back.




Big Tarp HX after setup.




Spread out the Optional Room. Take guyline (long) on the Big Tarp HX and pass the toggle through the Optional Room's ceiling ring (yellow strap). Do the same for guyline (short) and pass the toggle through the Optional Room's ceiling ring (green).



Adjust the length of the runners so that the Optional Room's entrance runs along the center of the tarp. Try to leave about 5cm between the Big Tarp HX and the Optional Room. If the fabrics are able to come into contact, condensation can form.



If the Optional Room is set up on the right side as shown above, attach the toggles on the side of the Optional Room to rings 2 and 4 on the Big Tarp HX. Only use rings 1 and 3 when setting up the Optional Room on the left side (opposite of what is shown above).



Stake down the pegs at the five points located above Use cord locks to adjust tension.